

KITZ INDUSTRIAL VALVES

The Reliable Brand



KITZ PRODUCTS



BB, Rising stem, OS&Y, Flanged ends **Body Material: WCB** Size: 11/2~36



BB, Rising stem, OS&Y, Flanged ends **Body Material: WCB** Size: 11/2~18



Bolted cover, Flanged ends **Body Material: WCB** Size: 11/2~30



AST STEEL BALL VALVE

Reduced bore, Floating ball, Flanged ends Body Material: WCB Size: 1/2~10



CAST STEEL BALL VALVE

Full bore, Floating ball, Body Material: WCB Size: 1/2~10



CAST STEEL BALL VALVE

Reduced bore, Floating ball, Body Material: WCB Size: 6~10



CAST STEEL GATE VALVE

BB, Rising stem, OS&Y, Body Material: WCB Size: 1¹/₂~30



CAST STEEL GLOBE VALVE

BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 11/2~16



CAST STEEL SWING CHECK VALVE

Bolted cover, Flanged ends Body Material: WCB Size: 11/2~30



CAST STEEL BALL VALVE

Full bore, Floating ball, Flanged ends Body Material: WCB Size: 1/2~8



CAST STEEL GATE VALVE

BB, Rising stem, OS&Y, Flanged ends Body Material: WCB



CAST STEEL GLOBE VALVE

BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 2~12



Bolted cover, Flanged ends Body Material: WCB Size: 2~24



Full bore, Trunnion ball, Flanged ends Body Material: A105 Size: 2~24



Reduced bore, Trunnion ball, Flanged ends Body Material: A105 Size: 3~24



Body Material: WCB Size: 1/4~2

•The details of specification are as per KITZ individual catalogs and drawings.











150

Body Material: A105 Size: 1/4~2

150UMHA(M)

Reduced bore. Threaded ends Body Material: A105 Size: 1/4~2

150UPA(M)

(G-150UPA(M))

150



Body Material: WCB

Size: 1/2 ~ 2(Lever handle available)



STAINLESS STEEL GATE VALVE

BB, Rising stem, OS&Y, Body Material: CF8/CF8M(UMAM) Size: 1/2~24

STAINLESS STEEL GLOBE VALVE BB, Rising stem, OS&Y, **Bolted** cover, Body Material: CF8/CF8M(UOAM) Body Material: CF8/CF8M(UPAM) Size: 1/2~12 Size: 1¹/₂~24



300UOA(M)

300





300 300UPA(M) (G-300UPA(M)) STAINLESS STEEL GLOBE VALVE

STAINLESS STEEL SWING CHECK VALVE **Bolted cover,**

BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UMAM) Size: 1/2~24

BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UMAM)

BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UPAM)

Flanged ends Body Material: CF8/CF8M(UOAM) Size: 11/2~24

T60S/150/300/600/900/1500UF3TCRSM

(T60S/G-150/300/600/900/1500UF3TCRSM)

150/300/600/900/1500

300 300UNA(M) STAINLESS STEEL LIFT CHECK VALVE





ORGED STAINLESS STEEL BALL VALVE

Reduced bore. Trunnion ball.

Body Material: A182 Gr.F316 or A479 TYPE316 Size: 3~24

Flanged ends

Bolted cover, Flanged ends Body Material: CF8/CF8M(UNAM) Size: 1/2~11/2

Full bore, Floating ball, Flanged ends Body Material: CF8/CF8M(UTBM) Size: 1/2~10























1-10-1, Nakase, Mihama-ku, Chiba 261-8577, Japan International Business Development Dept. Phone: 81-43-229-1730 URL: https://www.kitz.co.jp/english/ Contact us for further information. — Distributed by —

Printed in Japan 2004 DKPC